# Led Fluorescent Light Microscopy A16.2601-I With Double Layer Mechanical Stage

#### **Basic Information**

Place of Origin: China

Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A16.2601-L
Minimum Order Quantity: 1 pc
Price: Negotiation

Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

• Supply Ability: 5000 pcs/ Month



#### **Product Specification**

Eyepiece: WF10x/20mm
 Focusing System: CE|Rohs
 Nosepiece: Quintuple

• Stage: Double Layer Mechanical, Size 175x145mm,

Moving Range 78x55mm, Two Slide Holder

Condenser: Abbe N.A.1.25 With Aperture Iris Diaphragm

Transmitted Illumination: Koehler, 6V20W Halogen Lamp With

Brightness Adjustable

Highlight: inverted fluorescence microscope,

epifluorescence microscope

## **Product Description**

### LED Fluorescence Light Microscope A16.2601-L

Specification	A16.2601-L-B2		A16.2601-L-B4	A16.2601-L-T4
	Binocular	Trinocul ar	Binocular	Trinocular
Seidentopf Viewing Head	30° inclined, Interpupilary distance 50-75mm, For trinocular head, light distribution (binocular tube:photo tube): both 100:0 and 20:80		30° inclined, Interpupilary distance 50-75mm, For trinocular head, light distribution (binocular tube:photo tube): both 100:0 and 20:80	
Eyepiece	WF10x/20mm			
Objective	Infinity Plan Achromatic Objective 4x / 0.10 Infinity Plan Achromatic Objective 10x / 0.25 Infinity Plan Achromatic Objective 20x / 0.40(s) Infinity Plan Achromatic Objective 40x / 0.66(s) Infinity Plan Achromatic Objective 100x / 1.25(s, oil)			
Focusing System	Low positioned, coaxial coarse and fine focusing knobs			
Nosepiece	Quintuple			
Stage	Double layer mechanical, size 175x145mm, moving range 78x55mm, two slide holder			
Condenser	Abbe N.A.1.25 with aperture iris diaphragm			
Fluorescent Attachment	Fluorescent Filter (B,G) Fluorescent Filter (UV,V) are under development Six-hole Disc Epi-Fluorescence Set 3W LED Lamp House 3W LED Power Supply			
Transmitted Illumination	Koehler, 6V20W Halogen Lamp With Brightness Adjustable			
Filter	Blue			
Power Supply	100-240V, 50/60Hz			
Packing	Carton, Size 99x34	k40cm, G/I	N weight 23/20Kgs	
Optional Acc				Item No.
	WF16x/13mm			A51.2602-16
Eyepiece	WF10x/18mm with pointer			A51.2604-10
	WF10x/20mm with micrometer 0.1mm/Div			A51.2605-10A
Objective	Infinity Plan Objectives 2.5x/0.07			A52.2606-2.5
	Infinity Plan Objectives 60x/0.80(s)			A52.2606-60
Light Source	Upgrade to 6V 30W			A56.2650
LED Fluorescent Attachment	Chroma Filter, Wavelength 455nm Speically Used for Tuberculosis Inspection			for A5F.2602-TB
Condenser	Swing out achromatic condenser N.A.0.9/0.13			A56.2614-2
Filter	green,			A56.2616-G
	gray			A56.2616-N
	yellow			A56.2616-Y
000 4-1				A55.2601-BK057
CCD Adapter	C-Mount 1.0x	A55.2601-BK10		
	For CANON digital camera A55.2621			
Digital	For OLYMPUS digital camera A55.2620			
Camera	For NIKON SLR digital camera			A55.2622-N
Adapter	For SONY SLR digital camera			A55.2622-S
	For Canon SLR digital camera			A55.2622-C







#### Opto-Edu (Beijing) Co., Ltd.





sale@optoedu.com



cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China