## LED Light Fluorescence Microscope OPTO-EDU A16.2603-T2 1000X **Trinocular**

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- CE, Rohs A16.2603-T2 1 pc Negotiation Carton Packing, For Export Transportation
- 5~20 Days

China

CNOEC, OPTO-EDU

- T/T, West Union, Paypal
- 5000 pcs/ Month



### **Product Specification**

- Eyepiece:
- Objective:
- Working Stage:
- Condenser:
- Focusing:
- Light Source:
- Power Supply:
- Nosepiece:
- Magnification:
- Certificate:
- Highlight:
- WF10x/20 Infinity E-Plan 4x10x40x100x Double Layer Mechnical Abbe N.A.1.25 Coaxial Coarse & Fine Halogen 6V20W 100~240V 4 Holes
- 40x,100x,40x,1000x
- CE, Rohs
  - epi-fluorescence microscope, inverted fluorescence microscope



### More Images





OPTO-EDU (BEIJING) CO., LTD.

F-1501 Wanda Plaza, No.18 Shijingshan Road, Beijing 100043, China Tel:+8610 88696020 Fax:+8610 88696085

# A16.2603-L

# LED Fluorescent Microscope, Semi-APO





## Super Wide Field SWF10x/22mm Eyepiece Dia.30mm Diopter Adjustable

Super Wide Field Eyepiece SWF10x/22mm Eyepiece Dia.30mm Diopter Adjustable



The Eyepiece Tube Has Fix Screw To Prevent Eyepiece Falling Damage During Move






# Rackless (Integrated) Mechanical Stage, Large Size 182×140mm, Double Slide Holder


Rackless (Integrated) Mechanical Stage Large Size 182×140mm, Double Slide Holder Travel Range 77×52mm






	Seidentopf Binocular Head Inclined 30°,Rotatable 360°, Interpupilary Distance					
Head	48-76mm,	•	0	٠	0	A53.2623-B
	Eyepiece Tube Dia.30mm Seidentopf Trinocular Head Inclined 30°,Rotatable 360°, Interpupilary Distance					
	48-76mm, Light Split Switch E100:P0/E20:P80,	0	•	0	•	A53.2623-T
	Eyepiece Tube Dia.30mm		-		-	
Eyepiece	WF10x/22mm, Dia.30mm, High Eyepoint, Diopter Adjustable	••	••	••	••	A51.2621-1022
Nosepiece	Quintuple	٠	٠	٠	٠	A54.2610-N01
	PLAN 2.5X/0.07,W.D.=8.47mm	0	0	0	0	A52.2606-2.5
	PLAN 4X/0.10,W.D.=12.10mm	٠	٠	٠	٠	A52.2606-4
Infinity Plan	PLAN 10X/0.25,,W.D.=4.64mm	٠	٠	٠	٠	A52.2606-10
	PLAN 20X/0.40(S),W.D.=2.41mm	٠	٠	٠	٠	A52.2606-20
Objective	PLAN 40X/0.66(S),W.D.=0.65mm	٠	•	٠	٠	A52.2606-40
	PLAN 60X/0.80(S),W.D.=0.33mm	0	0	0	0	A52.2606-60
	PLAN 100X/1.25(S,Oil),W.D.=0.12mm	٠	٠	٠	٠	A52.2606-100
	PLAN 100X/1.15(S,Water),W.D.=0.19mm	0	0	0	0	A52.2606-100W
	UplanFLN 4x, N.A.0.16,W.D.=17.151mm	0	0	0	0	A5F.2611-4
Infinity Plan	UplanFLN 10x, N.A.0.30, W.D.=7.68mm	0	0	0	0	A5F.2611-10
Semi-APO						
Fluorescent	UplanFLN 20x, N.A.0.50,W.D.=1.96mm	0	0	0	0	A5F.2611-20
Objective	UplanFLN 40x, N.A.0.75, W.D.=0.78mm	0	0	0	0	A5F.2611-40
	UplanFLN 100x(Oil), N.A.1.30,W.D.=0.15mm	0	0	0	0	A5F.2611-100
	Rackless (Integrated) Mechanical Stage, Size 182×140mm, Travel Range	•	-	-	•	A54.2601-S1
Working Stage	77×52mm, Double Slide Holder					707.2001-31
onany olaye	Mechanical Stage Size 175 mm×145mm, Travel 76mmX52mm, Scale: 0.1mm,	0	0	0	0	A54.2601-S0
	Double Slide Holder	Ľ			Ĺ	
Focusing	Coaxial Coarse & Fine Focusing, Coarse Focusing Travel Range: 22mm, Fine	•	•	•	•	
Ŭ	Focusing Div. 0.002mm					
Condenser	Swing-out Condenser,N.A.0.9/0.13,Iris Diaphragm	٠	٠	٠	٠	A56.2614-07a
Illumination	Transmit Light 6V30W Halogen	•	•	٠	•	A56.2650-30W
	Koehler Illumination, Wide Voltage 100V~240V, Field Diaphragm	-		_	_	
ield Diaphragm	For Kohler Illumnation	•	•	•	•	A56.2615-BK
	Dia.45mm, Blue	•	•	•	•	A56.2616-45B
Filter	Dia.45mm, Green					A56.2616-45G
	Dia.45mm, Yellow	0	0	0	0	A56.2616-45A
Dark Field	Dark Field Condenser, Dry, N.A.0.83-0.91, For 4x10x40x Objective	0	0	0	0	A5D.2610-BK
	Dark Field Condenser, Immersion, N.A.1.3, For 100x Objective	0	0	0	_	A5D.2610-BKW
Polarizing	Analyzer + Polarizer Set	0	0	0	0	A5P.2601-BK
	Infinity Plan Phase Contrast Objective 10x + Phase Contrast Slide 10x + Phase Contrast Condenser + Telescope 11x + Green Filter	0	0	0	0	A5C.2602-10
	Infinity Plan Phase Contrast Objective 20x + Phase Contrast Slide 20x + Phase					
	Contrast Condenser + Telescope 11x + Green Filter	0	0	0	0	A5C.2602-20
	Infinity Plan Phase Contrast Objective 40x + Phase Contrast Slide 40x + Phase					
Phase Contrast	Contrast Condenser + Telescope 11x + Green Filter	0	0	0	0	A5C.2602-40
	Infinity Plan Phase Contrast Objective 100x + Phase Contrast Slide 100x +	0	0	<u>_</u>	~	450 0000 400
	Phase Contrast Condenser + Telescope 11x + Green Filter	0	0	0	0	A5C.2602-100
	Turret Phase Contrast Attachment					
	Infinity Plan Phase Contrast Objective 10x20x40x100x, Turret Phase Contrast	0	0	0	0	A5C.2603-BK
	Condenser 5-Holes, Telescope 11x, Green Filter					
	Upgrade From A12.2603-B/T Biological Microscope With					
	B,G China Fluorescent Set					
Fluorescence	6 Holes Disc Fluorescent Unit	٠	٠			A5F.2602-2
	5W LED Lamp House 5W LED Power Box					
	Ultraviolet Protection Barrier					
	Upgrade From A12.2603-B/T Biological Microscope With					
	B,G,U,UV China Fluorescent Set					
	6 Holes Disc Fluorescent Unit			-	•	A5F.2602-4
	5W LED Lamp House					AU1.2002-4
	5W LED Power Box					
	Ultraviolet Protection Barrier					
	C-Mount 0.5x, Focus Adjustable	0	0	0	0	A55.2601-05
Adapter	C-Mount 0.75x, Focus Adjustable	0	0	0	0	A55.2601-75
nuapiel	C-Mount 1.0x, Focus Adjustable	0	0	0	0	A55.2601-10
	Disital Francisco Oceano Adamter Dia 00 Oceano (OFerrar	0	0	0	0	A55.2610
	Digital Eyepiece Camera Adapter, Dia. 23.2mm/25mm	0			-	100.2010
Package	Carton Size 990×340×440mm, 1 pc / Ctn	0				





Fluorescent Filters	Exciter (nm)	Dichroic (nm)	Emitter (nm)
UV	330-380	400	435
V	380-420	430	460
В	420-490	505	520
G	500-550	575	590







A5P.2601-BK Analyzer + Polarizer Set



A5C.2602 Simple Phase Contrast Attachment





A55.2601-10 C-Mount1.0x, Focus Adjustable



A55.2601-75 C-Mount 0.75x, Focus Adjustable




A55.2601-05 C-Mount 0.5x, Focus Adjustable




A5C.2603 Turret **Phase Contrast Attachment** 

## Product Size(mm)



General Layout Diagram



Opto-Edu (Beijing) Co., Ltd.							
O	0086 13911110627	sale@optoedu.com	© cnoec.com				
F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China							