



A15.2603 Polarizing Light Microscope / Compound Light Microscope Trinocular Illumination

Basic Information

Place of Origin: China

Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A15.2603
Minimum Order Quantity: 1 pc
Price: Negotiation

Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

Supply Ability: 5000 pcs/ Month



Product Specification

• Head: Seidentopf Head, Inclined 30°, Rotatable

360°, Interpupillary Distance 48-75mm, Left Eyepiece Tube Diopter Adjustable +/-5°, Trinocular Head Light Split 20:80.

• Eyepiece: WF10x/18mm, 1 Pc WF10x/18mm, With

Micrometer 0.1mm Div., 1 Pc

Nosepiece: Quadruple, Center Adjustable

• Objective: 4x, 10x, 20x, 40x

• Stage: Round Stage, Rotatable 360°, Center

Adjustable, Division 1°, Vernier Division 6'

• Condenser: Abbe N.A.1.25, With Iris Diaphragm, Non

Stress

• Focusing: Coaxial Coarse And Fine Focusing Knob,

Coarse Focusing Range 26mm

Illumination: Transmit 6V20W Halogen Lamp

Power: 110V~240V Wide Range Voltage Product

Display

Highlight:

OPTO-EDU A15.2603-B 400X Trinocular Illumination Polarizing Microscope

A15.2603 Polarizing Microscope, with full polarizing function and high quality performance, is the best tools for school and student use.

--Infinity achromatic correction optical system, infinity without stress flat field objective.

--Polarizer unit built-in condenser, with scale, rotatable 360°, can be locked.

--Analyzer unit insert to polarizing media, rotatable 0-90°, can be moved out of optical path.

--Optical compensator: λ slip (first class red), 1/4λ slip.



A15.2603 Polarizing Microscope, with full polarizing function and high quality performance, is the best tools for school and student use.

It is a professional polarizing microscope, also named mineralogical microscope, with advanced multifunction, is necessary for researching double refraction sample. It can observe mineral crystal figure, color and interference color and also identify its optical performance. It is a good microscope used in geology, petroleum, coal, Chemical fiber, medical treatment, mineral, drug, criminal investigation fields and physic inspection. It is also widely used in academic demonstration and research.

Parameter:

| A15.2603 | -A | -В |
|--------------|---|--|
| Head | Binocular | Trinocular |
| | Seidentopf Head, Inclined 30°, Rotatable 360°, Interpupi llary Distance 48-75mm, Left | |
| | Eyepiece Tube Diopter Adjustable +/-5°, Trinocular Head Light Split 20:80. | |
| Eyepiece | WF10x/18mm, 1 pc | |
| | WF10x/18mm, With Micrometer 0.1mm Div., 1 pc | |
| Nosepiece | Quadruple, Center Adjustable | |
| Objective | Non-Stress Infinity Plan Objective | |
| | 4x/0.10 | |
| | 10x/0.25 | |
| | 20x/0.40(S) | |
| | 40x/0.65(S) | |
| Stage | Round stage, Rotatable 360°, Center Adjustable, Division 1°, Vernier Division 6' | |
| Condenser | Abbe N.A.1.25, With Iris Diaphragm, Non Stress | |
| Focusing | Coaxial Coarse and Fine Focusing Knob, Coarse Focusing Range 26mm, Fine Focusing | |
| | Scale 2µm, With Tension Adjustment | |
| Polarizing | Polarizer: Unit Built-in Condenser, With Scale, Rotatable 360°, Can Be Locked | |
| | , | rizing Media, Rotatable 0-90°, Can Be Moved Out Of Optical |
| | Path | |
| | Polarizing Media, Between Head & Body, Including Compensator | |
| | Bertrand Lens, Built-in, Center Adjustable, Can Be Moved Out Of Optical Path | |
| | λ Slip (First Class Red) | |
| | λ/4 Slip | |
| | Quartz Wedge I~IV Class Slip | |
| Illumination | Transmit 6V20W Halogen Lamp | |
| Power | 110V~240V Wide Range Voltage | |

Product Display



Non-Stress Infinity Plan Objective 4x,10x,20x,40x Available, 60x, 100x(Optional)

A15.2603=A12.2601+Reflect Polarizing Unit



Round Stage Diameter Φ142mm, Rotatable 360°, Division 1', Vernier Division 6', Can Be Locked, Center Adjustable. (Newly Updated in 2019)

Opto-Edu (Beijing) Co., Ltd.



0086 13911110627



sale@optoedu.com



cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China