40X 100X Learning Compound Optical Microscope LED Illumination Microscopes A12.2701

Basic Information

• Place of Origin: China

Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A12.2701
Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

Payment Terms: T/T, West Union, Paypal

Supply Ability: 5000 pcs/ Month



Product Specification

Applications: Laboratory, Learning

Certification: CE, RohsDrawtube: Binocular

• Illumination: Halogen Lamp, LED

Max Magnification: 1000X

Product Name: Compound Optical Microscope
 Highlight: optical compound microscope, wide field microscope



More Images



Learning Compound Optical Microscope LED Illumination Microscopes A12.2701

Description:

A12.2701 Laboratory Microscope, with its elegant figure, brilliant UCIS optical system, thoughtful ergonomic design and stable mechanism, it is best choice for your routine work inmedicine, clinical laboratories, pathology and biology.

- --UCIS universal infinity independent achromatic optical system, parfocal distance 45mm
- --Flexible upgrade path for phase contrast, dark field, and polarization
- --Surface at lower temperature even after long time work
- --Robust and vibration resistant

Specifications:

Specification	A12.2701-A		12.2701-B	
Head	Binocular Head,30° Inclined, 360° Rotatable	1	Trinocular Head,30° Inclined, 360°	
	Interpupillary Distance 52-75mm, ±5 Diopter	1	rpupillary Distance 52-	
	Adjustment	75mm, ±5 Diop	oter Adjustment	
Eyepiece	WF10x/18mm, High Eye-point Up To 21mm			
Objective	Infinity Achromatic Objective 4x/0.13, 10x/0.30, 40x/0.70 (Spring),100x/1.25 (Spring Oil)			
Focus System	Low Positioned, Coaxial Coarse & Fine Focusing System With Tension Adjustment And Up-Limited, Coarse Knob Coarse 14mm/Rot, Fine 0.1mm/Rot, Minimum Reading 1µm On Left-Side Fine Knob, Moving Range 20mm			
Nosepiece	Reversed Positioned Quadruple Nosepiece With Click Stops			
Stage	Double Layer Mechanical, Size 156x138mm, Moving Range 76x54mm. Low			
Stage	Position, Right Hand Control, X-Y Coaxial Control Knob, Two Slides Holder			
Condenser	Abbe N.A.1.25 With Iris Diaphragm And With Socket For Phase Contrast / Dark Field Slider, Centering Adjustable, Color-Coded Diaphragm Scale Marking Corresponded With The Objectives Of Different Power			
Filter	Blue Filter Dia. 38mm, (Not Available For LED Illumination)			
Light Source	6V 20W Halogen Lamp, Kohler Type With Field Diaphragm			
Power Supply	100-240V Wide Power Range, CE Certified			
	1			
	A12.2701 Optional Accessories		Item No.	
Head	Binocular Head,30° Inclined, 360° Rotatable	, Interpupillary	A53.2702-3A	
	Distance 48-75mm, ±5 Diopter Adjustment		A33.2702-3A	
	Trinocular Head,30° Inclined, 360° Rotatable	, Interpupillary	A53.2704-3A	
	Distance 48-75mm, ±5 Diopter Adjustment		A33.2704-3A	
	WF10x/20mm, High Eye-point Up To 21mm		A51.2701-10B	
	WF16x/13mm, High Eye-point Up To 21mm		A51.2701-1613	
Eyepiece	WF10x/18mm Pointer Eyepiece		A51.2702-10	
Гуеріесе	WF10x/20mm Pointer Eyepiece		A51.2702-10B	
	WF10x/18mm Reticule Eyepiece		A51.2703-10	
	WF10x/20mm Reticule Eyepiece		A51.2703-10B	
	4X/0.13 ∞/0.17,WD12.31		A52.2706-04C	
Infinity Plan	10X/0.30 ∞/0.17,WD4.00		A52.2706-10C	
Achromatic	20X/0.45 ∞/0.17,WD1.24		A52.2706-20C	
Objective	40X/0.70 ∞/0.17,WD0.29 (Spring)		A52.2706-40C	
	60X/0.80 ∞/0.17,WD0.40 (Spring)		A52.2706-60C	
	100X/1.25 ∞/0.17,WD0.09 (Spring,Oil)		A52.2706-100C	
Stage	Upgrade To Double Layer Mechanical Stage 156x138mm/76x54mm	ole Layer Mechanical Stage, Size		
Nosepiece	Upgrade To Quintuple Inward Nosepiece		A54.2705-A1	
Nosepiece	Upgrade To LED 3W		A56.2705-A1	
Light Source	Upgrade To LED 3W Upgrade To LED 3W Set Including Battery (Rechargeable)		A56.2705-EC	
	Green Filter Φ32mm		A56.2706-G1	
Filter	Yellow Filter Ф32mm		A56.2706-Y1	
	Frosted Glass Φ32mm		A56.2706-F1	
			+	
Polarizing Attachment	Analyzer		A5P.2701-A	
rttaoriiriorit	Polarizer Pork Field Condensor (Prv)		A5P.2701-P	
Dark Field	Dark Field Condenser (Dry)		A5D.2701-D	
Attachment	Dark Field Condenser (Immersion)		A5D.2701-I	
	Dark Field Sliders For Objective 4x,10x,40x,100x		A5D.2701-S	
	Centering Telescope		A5C.2710-C	
	Phase Contrast Slider, For Infinity Phase Contrast Objective	10x	A5C.2712-10	
		40x	A5C.2712-40	
		100x	A5C.2712-100	
Phase Contrast		10x	A5C.2720-10P	

Attachment	Infinity Phase Contrast Objective, Positive	40x	A5C.2720-40P
		100x	A5C.2720-100P
	Infinity Phase Contrast Objective, Negative	10x	A5C.2720-10N
		40x	A5C.2720-40N
		100x	A5C.2720-100N
Adapter	1.0x C-Mount		A55.2701-10
	0.5x C-Mount		A55.2701-05
	0.25x C-Mount		A55.2701-25
	Digital Camera Adapter, (Need To Know Camera Model Number)		A55.2702-2

Competitive Advantage:

 ${\it Microscope, Biological\ Microscope, Binocular, Laboratory, 1000x,}$

High quality optical system, and optical components coated with special coating created a high-quality optical system.

- ■Standard magnification 7X~45X. Use optional auxiliary lens, the magnification can be 3.5X~180X
- Long working distance to create enough space for the uses
- Suit to ergonomic design, feel less fatigue when long time use.







Opto-Edu (Beijing) Co., Ltd.





sale@optoedu.com e cnoec.com



F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China