



Motorized Forensic Comparison Microscope

Our Product Introduction

for more products please visit us on cnoec.com

Basic Information

- Place of Origin: China
- Brand Name: CNOEC, OPTO-EDU
- Certification: CE, Rohs
- Model Number: A18.1849
- Minimum Order Quantity: 1 pc
- Price: FOB \$1~1000, Depend on Order Quantity
- Packaging Details: Carton Packing, For Export Transportation
- Delivery Time: 5~20 Days
- Payment Terms: T/T, West Union, Paypal
- Supply Ability: 5000 pcs/ Month



Product Specification

- Applications: Laboratory, Research
- Certification: CE, Rohs
- Drawtube: Binocular
- Illumination: LED
- Magnification: 3.36x - 336x
- Theory: Comparison Microscope
- Highlight: **transmitted light microscope, binocular optical microscope**



More Images



Product Description

Description:

A18.1849 Motorized Digital Forensic Comparison Microscope, newly developed in 2013, is suitable to be used for forensic science laboratory research work, for compare all kinds of bullets, cartridge cases, cutting objects, paper documents and etc. It can be fully controlled by manual or computer software. Built-in high resolution digital color camera can output realtime image and video to computer, under professional crime image analysis software, it will be ideal tools for forensic scientists research work. With full comparison system function, and with steady quality at very competitive price, it is your best choice!

- ★ Total Magnification 3.36x~336x
- ★ Wide Field Eyepiece WF10x/23mm, WF20x/12mm, High Eyepoint
- ★ 6 Holes Click Stop Nosepiece
- ★ LWD Infinity Plan Achromatic Objective 0.6x, 1x, 1.5x, 2.5x, 4x, 6x
- ★ Auxiliary Lens 0.4x and 2.0x Included
- ★ Motorized/Manual Control to switch in full left/right, split-image or overlapping image comparison
- ★ Motorized/Manual Control working stage X/Y/Z 3D movement
- ★ Motorized/Manual Control round stage rotating in clockwise/counterclockwise direction
- ★ Motorized/Manual Control nosepiece objectives switch
- ★ Magnification Correcting System, with Correcting Lens
- ★ Separation Line Adjusting System, with Special Designed Metal Adjust Driver
- ★ 12V50W Fan Cooling Strong Halogen Light, Brightness Adjustable
- ★ 5W LED Cold Light, High Brightness, Brightness Adjustable
- ★ Touch Panel Switch to Control Halogen & LED Light Source On/Off Separately or Together
- ★ All Light Source Brightness Adjustable, Position & Angle Adjustable Freely
- ★ Full Range Light Source Accessories Included, Coaxial Light, Polarizing Light, Ultraviolet Lens, Red/Blue/Green/Yellow Filters

Our Product Introduction

- ★ Built-in 3.0M High Resolution Color CCD Camera, USB 2.0 Output,
- ★ Professional forensic image analysis software
- ★ 80-240V Wide Range Voltage

Specifications:

A18.1849 Motorized Digital Forensic Comparison Microscope Specification	
Magnification	3.36x-336x
Head	Binocular Head, Interpupillary Distance 50-75mm, Diopter +/-5 Adjustable.
Eyeiece	WF10x/23mm, High Eyepoint
Nosepiece	6 Hole Click Stop Nosepiece
Objective	LWD Infinity Plan Achromatic Objective 0.5x, 1x, 1.5x, 2x, 4x, 6x Auxiliary Lens 0.4x, 2.0x
Working Distance	100mm
View Field	Dia. 1.0-90mm
Magnification Correcting	Magnification Correction System, with Correcting Lens
Separation Line Adjusting	Separation Line Adjust System in Back, with Special Designed Adjust Driver
Working Stage	Square Manual Working Stage 100*100mm, Moving Range 80*80*54mm
	Round Titable Working Stage Dia. 90mm, 0-45° Inclined, 360° Rotatable
Light Source	Joint Left/Right Moving Range 54mm, Joint Up/Down Range 0-150mm
	5W LED Warm Light, High Brightness, Brightness Adjustable
	5W LED Cold Light, High Brightness, Brightness Adjustable
	Coaxial Light Lens, to observe in deep hole, or smooth object surface
	Polarizing Light Lens, to eliminate flare lights and dazzling lights;
	Transmit Bottom Light (Built-in Working Stage)
Adapter	Ultraviolet Light Lens
	Filters: Red, Blue, Yellow, Green
Adapter	CCD Adapter
CCD Camera	Photo Adapter for SLR Digital Camera
	Built-in 3.0M High Resolution Color CCD Camera, USB 2.0 Output, Professional forensic image analysis software
Software & Motorized Control	Motorized/Manual Control to switch in full left/right, split-image or overlapping image comparison
	Motorized/Manual Control working stage X/Y/Z 3D movement
	Motorized/Manual Control round stage rotating in clockwise/ counterclockwise direction
	Motorized/Manual Control nosepiece objectives switch
Power	80-240V Wide Range Voltage
Dimension	Instrument Size 40*48*71cm





A181845 Back View - Separation Line Adjust System



Opto-Edu (Beijing) Co., Ltd.

☎ 0086 13911110627

✉ sale@optoedu.com

🌐 cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China