OPTO-EDU Kohler Illumination Inverted Light Microscope OPTO-EDU A14.0900

Basic Information

• Place of Origin: China

• Brand Name: CNOEC, OPTO-EDU

Certification: CE, Rohs
Model Number: A14.0900
Minimum Order Quantity: 1 pc

Price: FOB \$1~1000, Depend on Order Quantity
 Packaging Details: Carton Packing, For Export Transportation

• Delivery Time: 5~20 Days

• Payment Terms: T/T, West Union, Paypal

• Supply Ability: 5000 pcs/ Month



Product Specification

Applications: Laboratory|Research


Certification:

• Drawtube: Binocular|Trinocular

• Illumination: LED

• Highlight: digital trinocular microscope,

infinity plan microscope



Product Description

	A14.090	0 Inver	ted Mic	roscop	е		Α	В		
Optical	Infinity Color Corrected Optical System						•	•		
System								L		
Head	Binocular Hea		t Colit C	Switch =	100.D0/E	8U·D3U	•			
	Trinocular Head, Light Split Switch E100:P0/E80:P20 Gemel Viewing Head, 45 Degree Inclined, Interpupillary						_	•		
	Distance 54-75mm, One eyepiece tube with ±5 Diopter							•		
	Adjustment,									
Eyepiece	PL10x/22mm, High Eyepoint, Wide Field							•		
• •	PL15x/16mm, High Eyepoint, Wide Field						0	0		
Nosepiece	Reversed Revolving Quintuple Nosepiece							•		
Objective	LWDPL 4x/0.10, W.D.=22mm							•		
			T	LWDPL 10x/0.25,			╫	╁		
	Long Working		ce Iw	D.=7.9			•	•		
	Infinity Plan A Objectives	cnroma		WDPL 20x/0.40,			6	0		
	Objectives		W.D.=7.66mm			\bot	\mathbb{L}			
			LWDPL 40x/0.60,			•	•			
	W.D.=3.72mm LWDPL 10x/0.25,						+	╄		
	LWDPL 10x/0.25, W.D.=7.94mm						6	6		
	LWD Infinity Plan Phase Contrast Objectives			LWDPL 20x/0.40,			+	1.		
				W.D.=7.66mm			•	•		
				LWDPL 40x/0.60,			6	6		
	W.D.=3.71mm						\perp			
Stage	Fixed Stage S Glass Plate	size 250)*160mr	n, Slidei	r Clips		•	•		
	Metal Plate						•	•		
	Petri Dish Hol	der. Dia	a.35mm				•	•		
	Movable Ruler, Travel Range 120x78mm							6		
	Extension Plate							0		
Focusing	Coaxial Coarse & Fine Focusing System, Working Distance Of Every Circle: 38mm/Coarse Focus, 0.2mm/							\top		
								•		
	Fine Focus, Minimal Read 0.002mm/,With Tension Adjustment, With Safty Stop									
Condenser	N.A.0.3 Kohler Illumination Condenser, with Phase							╆		
	Adjustable Slide Plate, Long Working Distance 72mm.							•		
	The Whole Set Can Be Rotated Down									
	N.A.0.5 condenser for option, dismountable							0		
Phase	Phase Contrast Plug-board for 10x-40x, Center							•		
Contrast	Adjustable Discourse Discourse							L		
	Centering Telescope Dia. 30mm							•		
Filter	Dia.45mm Green Interference Filter Dia.45mm Color Temperature Change Filter							•		
	Dia.45mm Infrared Eliminate Filter									
	Dia.45mm Rubidium Glass Filter							0		
	Kohler Illumination, With Iris Aperture and Field							\vdash		
Light	Diaphragm, 6V/30W Halogen Bulb, Center And Focus							•		
	Adjustable, Brightness Adjustable									
Photo	Photo Tube(with PK adaptor), 3.2x Lens							0		
Adapter Video								╄		
Adapter	0.5x/0.67x C Mount Adaptor							6		
Power	Wide Voltage 90-240V									
					Cover					
Series	Magnificati	N.A.	W.D.	F.N.	Glass	Immer	Spr	ina		
	on				Thickne ss	sion				
Lplan Series(PH)	Lplan4x	0.1	22	22	1.2	/	/	1		
	Lplan10x	0.25	7.94	22	1.2	/				
	Lplan			22	1.0	,	/			
	PH10x	PH10x 0.25 7.94 22 1.2 /								
	Lplan20x	0.4	7.66	22	1.2	/	/	_		
	1 1 1	0.4	7.66	22	1.2	/	/			
	PH20x		1	I	I	ı I				
		0.0	274	20	1 0	,		,		
	Lplan40x Lplan	0.6	3.71	22	1.2	/	/			

F-1501 Wanda Plaza, No.18 Shijingshan Road, Beijing 100043, China Tel:+8610 88696020 Fax:+8610 88696085

A14.0900 Inverted Microscope



To ensure the safety and obtain satisfactory performance, please study this instruction manual thoroughly before start to use the instrument.





A14.0900 Inverted Microscope, Koehler Illumination
Built-in Kohler illuminator, The Condenser Bracket Can Be Rotated 30 Degree, Swivel Bracket With
The Orientation and Locking Device, With Iris Diaphragm and The Center of Filament Can be
Adjusted N.A.0.3 Working Distance 72mm, for 4x- 40x Objectives N.A.0.5 Working Distance 28mm,
for Higher Magnification Objectives







Attachable mechanical stage
Moving range: 120x78mm. It can clamp types of
standard cell culture plates. With the help of
related accessories, it could be used to move the
dish, flask, slide and so on.



Wide-field plan eyepiece
New designed high eye -point wide-field plan
eyepiecePL10X/22, has a full bright diagram without
chromatic circle. International popular 22mm field of view is
convenient for target seeking and counting.



Phase Contrast Accessories

Phase Contrast Accessories
Select a matching phase contrast slide on the basis
of the chosen illuminator. With the phase contrast
objectives, phase contrast observation can be
realized. Thus you can acquire a better it is better
image contrast than the bright field. The cell image is
with a strong sense of relief. You can use it to do a
more detailed observation on those component parts
of colorless transparent cells.



Digital Camera Adapter
Microscopy image can be output to monitor or computer
by connecting the Trinocular tube and camera device.
Then image analysis, processing, storage and
transmission would be available.





LPLAN series long working distance plan infinity color corrected objectives, designed tor living-cells culture in laboratory, clear image, good contrast, and also have a good performance under fluorescence

contract in addition.

LPLAN PH series long working distance infinity phase contrast objectives. In addition to the realization of the bright field observation, the phase contrast observation function has been developed to make the view showing a sense of relief and a substantial increase in image contrast and resolution.

Opto-Edu (Beijing) Co., Ltd.



0086 13911110627



sale@optoedu.com



© cnoec.com

F-1501 Wanda Plaza, No. 18 Shijingshan Road, Beijing 100043, China